RECEIVED

AUG 2 0 2002

TECH CENTER 1600/2900

1614

ENTERED P#11

1600

RAW SEQUENCE LISTING   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:51

Input Set : A:\1-1166.ST25.txt
Output Set: N:\CRF4\08122002\J036111.raw

```
 3 <110> APPLICANT: Peters, Stefan
 4        Leipert, Dietmar
 5        Park, John Edward
 6        Lenter, Martin
 7        Garin-Chesa, Pilar
 9 <120> TITLE OF INVENTION: FAP-activated anti-tumor compounds
11 <130> FILE REFERENCE: 1/1166
13 <140> CURRENT APPLICATION NUMBER: US 10/036,111
14 <141> CURRENT FILING DATE: 2001-11-09
16 <150> PRIOR APPLICATION NUMBER: US 60/262,281
17 <151> PRIOR FILING DATE: 2001-01-17
19 <150> PRIOR APPLICATION NUMBER: GB 0027551.1
20 <151> PRIOR FILING DATE: 2000-11-10
22 <160> NUMBER OF SEQ ID NOS: 10
24 <170> SOFTWARE: FastSEQ for Windows Version 4.0
26 <210> SEQ ID NO: 1
27 <211> LENGTH: 9
28 <212> TYPE: PRT
29 <213> ORGANISM: Artificial Sequence
31 <220> FEATURE:
32 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W--> 34 <221> NAME/KEY: MOD_RES
35 <222> LOCATION: 1
36 <223> OTHER INFORMATION: Xaa = imidazole
W--> 38 <221> BINDING
39 <222> LOCATION: 1
40 <223> OTHER INFORMATION: Amino acid 1 is attached by a capping group from
41        benzoyloxycarbonyl, phenylacetyl,
42        phenylmethylsulfonyl, benzylaminocarbonyl,
43        pyridinyloxycarbonyl, pyridinylacetyl,
W--> 44        pyridinylmethylsulfonyl and
W--> 45        pyridylmethylaminoacrbonyl
W--> 47 <221> VARIANT
48 <222> LOCATION: 2, 3, 4, 5, 6, 7
49 <223> OTHER INFORMATION: Xaa = any amino acid and up to five can be missing
W--> 51 <400> 1
W--> 52 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Gly
53  1                   5
56 <210> SEQ ID NO: 2
57 <211> LENGTH: 9
58 <212> TYPE: PRT
59 <213> ORGANISM: Artificial Sequence
61 <220> FEATURE:
```

RAW SEQUENCE LISTING   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:51

Input Set : A:\1-1166.ST25.txt
Output Set: N:\CRF4\08122002\J036111.raw

```
        62 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W--> 64 <221> NAME/KEY: BINDING
        65 <222> LOCATION: 1
        66 <223> OTHER INFORMATION: Amino acid 1 is attached by a capping group from
        67       benzoyloxycarbonyl, phenylacetyl,
        68       phenylmethylsulfonyl, benzylaminocarbonyl,
        69       pyridinyloxycarbonyl, pyridinylacetyl,
W--> 70       pyridinylmethylsulfonyl and
W--> 71       pyridylmethylaminocarbonyl
W--> 73 <221> VARIANT
        74 <222> LOCATION: 1, 2, 3, 4, 5, 6
        75 <223> OTHER INFORMATION: Xaa = any amino acid and up to five can be missing
W--> 77 <221> MOD_RES
        78 <222> LOCATION: 2, 7
        79 <223> OTHER INFORMATION: Xaa = imidazole
W--> 81 <400> 2
W--> 82 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Gly
        83   1                 5
        86 <210> SEQ ID NO: 3
        87 <211> LENGTH: 4
        88 <212> TYPE: PRT
        89 <213> ORGANISM: Artificial Sequence
        91 <220> FEATURE:
        92 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W--> 94 <221> NAME/KEY: MOD_RES
        95 <222> LOCATION: 1
        96 <223> OTHER INFORMATION: Xaa = thiazole and is attached by
        97       benzyloxycarbonyll
W--> 99 <221> BINDING
       100 <222> LOCATION: 4
       101 <223> OTHER INFORMATION: Amino acid 4 is attached by OH
W--> 103 <400> 3
W--> 104 Xaa Ala Gly Pro
       105   1
       108 <210> SEQ ID NO: 4
       109 <211> LENGTH: 4
       110 <212> TYPE: PRT
       111 <213> ORGANISM: Artificial Sequence
       113 <220> FEATURE:
       114 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W--> 116 <221> NAME/KEY: MOD_RES
       117 <222> LOCATION: 1
       118 <223> OTHER INFORMATION: Xaa = thiazole and is attached by pyridin-3-
       119       ylmethoxycarbonyl
W--> 121 <221> BINDING
       122 <222> LOCATION: 4
       123 <223> OTHER INFORMATION: Amino acid 4 is attached by OH
W--> 125 <400> 4
W--> 126 Xaa Ala Gly Pro
```

RAW SEQUENCE LISTING   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:51

Input Set : A:\1-1166.ST25.txt
Output Set: N:\CRF4\08122002\J036111.raw

```
        127  1
        130  <210> SEQ ID NO: 5
        131  <211> LENGTH: 4
        132  <212> TYPE: PRT
        133  <213> ORGANISM: Artificial Sequence
        135  <220> FEATURE:
        136  <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->    138  <221> NAME/KEY: MOD_RES
        139  <222> LOCATION: 1
        140  <223> OTHER INFORMATION: Xaa = thiazole and is attached by
        141       benzyloxycarbonyl
W-->    143  <221> BINDING
        144  <222> LOCATION: 4
        145  <223> OTHER INFORMATION: Amino acid 4 is attached by doxorubicin
W-->    147  <400> 5
W-->    148  Xaa Ala Gly Pro
        149  1
        152  <210> SEQ ID NO: 6
        153  <211> LENGTH: 5
        154  <212> TYPE: PRT
        155  <213> ORGANISM: Artificial Sequence
        157  <220> FEATURE:
        158  <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->    160  <221> NAME/KEY: MOD_RES
        161  <222> LOCATION: 1
        162  <223> OTHER INFORMATION: Xaa = thiazole and is attached by
        163       benzyloxycarbonyl
W-->    165  <221> MOD_RES
        166  <222> LOCATION: 5
        167  <223> OTHER INFORMATION: Xaa = 7-amino-4-methyl-coumarin-acetic acid and is
        168       attached by OH
W-->    170  <400> 6
W-->    171  Xaa Ala Gly Pro Xaa
        172  1               5
        175  <210> SEQ ID NO: 7
        176  <211> LENGTH: 5
        177  <212> TYPE: PRT
        178  <213> ORGANISM: Artificial Sequence
        180  <220> FEATURE:
        181  <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->    183  <221> NAME/KEY: MOD_RES
        184  <222> LOCATION: 1
        185  <223> OTHER INFORMATION: Xaa = imidazole and is attached by
        186       benzyloxycarbonyl
W-->    188  <221> MOD_RES
        189  <222> LOCATION: 5
        190  <223> OTHER INFORMATION: Xaa = 7-amino-4-methyl-coumarin-acetic acid
W-->    192  <400> 7
W-->    193  Xaa Ala Gly Pro Xaa
```

RAW SEQUENCE LISTING   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:51

        Input Set : A:\1-1166.ST25.txt
        Output Set: N:\CRF4\08122002\J036111.raw

       194 1   5
       197 <210> SEQ ID NO: 8
       198 <211> LENGTH: 5
       199 <212> TYPE: PRT
       200 <213> ORGANISM: Artificial Sequence
       202 <220> FEATURE:
       203 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->   205 <221> NAME/KEY: MOD_RES
       206 <222> LOCATION: 1
       207 <223> OTHER INFORMATION: Xaa = thiazole and is attached by
       208   benzyloxycarbonyl
W-->   210 <221> MOD_RES
       211 <222> LOCATION: 5
       212 <223> OTHER INFORMATION: Xaa = 7-amino-4-methyl-coumarin-acetid acid
W-->   214 <400> 8
W-->   215 Xaa Ala Gly Pro Xaa
       216 1   5
       219 <210> SEQ ID NO: 9
       220 <211> LENGTH: 4
       221 <212> TYPE: PRT
       222 <213> ORGANISM: Artificial Sequence
       224 <220> FEATURE:
       225 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->   227 <221> NAME/KEY: MOD_RES
       228 <222> LOCATION: 1
       229 <223> OTHER INFORMATION: Xaa = thiazole and is attached by
       230   benzyloxycarbonyl
W-->   232 <221> BINDING
       233 <222> LOCATION: 4
       234 <223> OTHER INFORMATION: Amino acid 4 is attached by melphalan
W-->   236 <400> 9
W-->   237 Xaa Ala Gly Pro
       238 1
       241 <210> SEQ ID NO: 10
       242 <211> LENGTH: 4
       243 <212> TYPE: PRT
       244 <213> ORGANISM: Artificial Sequence
       246 <220> FEATURE:
       247 <223> OTHER INFORMATION: aminoalkanoyl or oligopeptidoyl group
W-->   249 <221> NAME/KEY: MOD_RES
       250 <222> LOCATION: 1
       251 <223> OTHER INFORMATION: Xaa = thiazole and is attached by
       252   benzyloxycarbonyl
W-->   254 <221> BINDING
       255 <222> LOCATION: 4
       256 <223> OTHER INFORMATION: Amino acid 4 is attached by OH
W-->   258 <400> 10
W-->   259 Xaa Ala Gly Pro
       260 1

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:52

Input Set : A:\1-1166.ST25.txt
Output Set: N:\CRF4\08122002\J036111.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,2,3,4,5,6,7
Seq#:2; Xaa Pos. 1,2,3,4,5,6,7
Seq#:3; Xaa Pos. 1
Seq#:4; Xaa Pos. 1
Seq#:5; Xaa Pos. 1
Seq#:6; Xaa Pos. 1,5
Seq#:7; Xaa Pos. 1,5
Seq#:8; Xaa Pos. 1,5
Seq#:9; Xaa Pos. 1
Seq#:10; Xaa Pos. 1

VERIFICATION SUMMARY   DATE: 08/12/2002
PATENT APPLICATION: US/10/036,111   TIME: 15:28:52

Input Set : A:\1-1166.ST25.txt
Output Set: N:\CRF4\08122002\J036111.raw

```
L:34  M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:38  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:1
L:44  M:259 W: Allowed number of lines exceeded, <223> Other Information:
L:45  M:259 W: Allowed number of lines exceeded, <223> Other Information:
L:47  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:1
L:51  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:1
L:52  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:64  M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:70  M:259 W: Allowed number of lines exceeded, <223> Other Information:
L:71  M:259 W: Allowed number of lines exceeded, <223> Other Information:
L:73  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:2
L:77  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:2
L:81  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:2
L:82  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:94  M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:99  M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:3
L:103 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:3
L:104 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:116 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:121 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:4
L:125 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:4
L:126 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:138 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:143 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:5
L:147 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:5·
L:148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:160 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:165 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:6
L:170 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:6
L:171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:183 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:188 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:7
L:192 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:7
L:193 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:205 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:210 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:8
L:214 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:8
L:215 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:227 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:232 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:9
L:236 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:9
L:237 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:249 M:281 W: Numeric Fields not Ordered, <221> Sort in ascending order!
L:254 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:10
L:258 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:10
L:259 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
```